

How to setup IMAP account in Thunderbird 10:

Manual Configuration

If Thunderbird does not automatically detect your settings, follow these steps:

- 1. In Thunderbird, go to Tools and Account Settings.
- 2. Click Account Actions and then click Add Mail Account.
- 3. Complete the following fields: Your Name, Email Address (i.e. your email-id) and Password
- 4. Click **Continue**.
- 5. After Thunderbird fails to recognize your mail settings, click **Manual config**.
- For the incoming server, select the desired method of retrieval and enter your mail hostname or server name as mailg.cloud into the server hostname field.
- 7. Leave authentication set to auto-detect.
- For the Outgoing server, enter your server hostname: mailg.cloud select the port :465
- and select the appropriate SSL setting: SSL/TLS based on your server configuration. Leave the authentication set to auto-detect.
- 10. For the username : <u>your email-id</u>

enter your full email address.

- 11. Click **Re-Test**.
- 12. Once the test has finished, click **Create Account**.





rour game.	your name	Your name, as sh	own to ot	ther	5			
Email address:	your Email-Id							
Password:	your password							
	Server hostname		Port		SSL	Aut	hentication	
	MAP, mailg.cloud		Auto	•	Autodetect	• Au	todetect	•
Incoming:			A		Autodetect	• Au	todetect	•
Outgoing: S	MTP mailg.cloud		Auto					
Outgoing: S Username: In	MTP mailg.cloud		Auto		Outgoing:	you	ur Email-Id	





your Email-Id	Server Set	tings				
Server Settings Copies & Folders Composition & Addressing Junk Settings Disk Space Return Receipts Security	Server Type: Server Name: User Name: Security Settin Connection s	IMAP Mail mailg.clou your Emaings ecurity:	Server d I-Id SSL/TLS	Port:	993 <u>*</u>	Default: 99:
a your Email-Id Server Settings Copies & Folders Composition & Addressing Junk Settings Synchronization & Storage Return Receipts Security Local Folders Junk Settings Disk Space	Authentication method: Normal password Server Settings Check for new messages at startup Check for new messages every 10 minutes Allow immediate server notifications when new messages arrive When I delete a message: Move it to this folder: Dust mark it as deleted Remove it immediately					
A state of Association	Message Storage Clean up ("Expunge") Inbox on Exit Empty Trash on Exit Message Store Type: File per folder (mbox) Local directory: C:\Users\chuen\AppData\Roaming\Thunderbird\Profiles\z					
Outgoing Server (SMTP)	Clean up Empty Tr Message Stor Local director C:\Users\chu	(" <u>E</u> xpunge") ash on E <u>x</u> it e <u>T</u> ype: Fil y: en\AppData	Inbox on Exit e per folder (mbox) \\Roaming\Thunde	• rbird\Pro] files\z [Browse





📩 Get Messages 🔻 🖉 Writ	e 🔻 🗭 Chat 🙎 Address Book 🛛 🦠 Tag 🔻 🍸 Quick Filter 🛛 Search <0
Jobox Jobax Jobox Jobax	Thunderbird Mail - Local Folders
your Email-Id	Accounts
 Local Folders Trash 	View settings for this account
🔊 Outbox	Create a new account: Email 🗟 Chat 🗟 Newsgroups 🔊 Feeds
	Create a new calendar

